

# command tricks

## powershell

- `icacls ./file`
  - PS C:\Log-Management> `icacls .\job.bat`  
`.\job.bat BUILTIN\Users:(F)`  
`NT AUTHORITY\SYSTEM:(I)(F)`  
`BUILTIN\Administrators:(I)(F)`  
`BUILTIN\Users:(I)(RX)`  
Successfully processed 1 files; Failed processing 0 files
- `type .\file`
  - PS C:\Log-Management> `type .\job.bat`  
`@echo off`  
`FOR /F "tokens=1,2*" %%V IN ('bcdedit') DO SET adminTest=%%V`  
`IF (%adminTest%)==(Access) goto noAdmin`  
`for /F "tokens=*" %%G in ('wevtutil.exe el') DO (call :do_clear "%%G")`  
`echo.`  
`echo Event Logs have been cleared!`  
`goto theEnd`  
`:do_clear`  
`wevtutil.exe cl %1`  
`goto :eof`  
`:noAdmin`  
`echo You must run this script as an Administrator!`  
`:theEnd`  
`exit`
- `Get-ChildItem -Path C:\ -Filter Log-Management -Recurse -ErrorAction SilentlyContinue -Force`
  - it finds a file from a path
- a

a  
something is wrong with this version of the editor as of writing, so it will be messy / full of copy/paste. idk how to raw html encode some of this

## cmd

- n
- a
- a

# shell

- n
- a
- a

---

Revision #10

Created 2024-06-22 08:28:28 UTC by naruzkurai

Updated 2024-06-22 21:20:55 UTC by naruzkurai