

# New Page

```
public float speed = 5.0f;
```

the word public can be changed to private, this denotes the accessibility of the variable/class/other

```
private float speed = 5.0f;
```

also this is done to initialize the default value of the variable in the script's component tab  
they are also known as access modifiers :D

when we do 5 as a variable, its only valid as an integer, a whole number, so if we want to do fractional speeds we need to make it a floating point, a decimal number, so we could do 5.0, but its not understandable because its a decimal number

so since its not an integer we need to use float to do decimals coz its a floating point number  
so then can do 5.0f to turn 5.0 into a readable understandable number for the game  
:D

what happens when we do dword :D it doesn't tell us ;-;

anyways next line of code

this is similar to the public float speed = thing BUT  
it doesn't give us the number, or object its just a name

normally this doesn't work unless you assign a value in some programming languages but with c#  
if the script is assigned to an object ex. the camera you can drag an object into the player variable  
to reference what the player variable is, so ex we want the tank to be the player, (later the player  
model)

we can just put this code in the first level of the script in the public class and it will allow us to  
assign an object to the variable. whoa python is hard lmfao

```
public GameObject Player;
```

ok so next line

in the void update() area

```
transform.position = Player.transform.position;
```

so basically this transforming the position of the camera to be exactly the same as the Players, including its transformed(updated) position  
so since we want to offset that  
we can add

**+ new Vector3(0, 5, -7)**

we need to use a new vector3 variable (xyz)  
but since we need to be able to change that

I messed with the code more and got the ideal maybe ggz angels

[image.png](#)

```
using System.Collections;
using System.Collections.Generic;
using UnityEngine;

public class FollowPlayer : MonoBehaviour
{

    public GameObject Player;
    private Vector3 offset;
    public float camera_x_offset = 0.0f;
    public float camera_y_offset = 5.0f;
    public float camera_z_offset = -7.0f;

    // Camera rotation offsets
    public float camera_x_rotation_offset = 0.0f;
    public float camera_y_rotation_offset = 0.0f;
    public float camera_z_rotation_offset = 0.0f;

    // Start is called before the first frame update
    void Start()
    {

    }

    // Update is called once per frame
    void Update()
    {
        offset = new Vector3(camera_x_offset, camera_y_offset, camera_z_offset);
        transform.position = Player.transform.position + offset;
    }
}
```

```
// Apply the rotation offsets
Quaternion rotationOffset = Quaternion.Euler(camera_x_rotation_offset, camera_y_rotation_offset,
camera_z_rotation_offset);
transform.rotation = Player.transform.rotation * rotationOffset;
}
}
```

this still follows the player when they move away and jump but hayyy its what I want later on when I deny up/down / in / out movement

okok so important thing

to midiage or remove studder we could make a smoother with another script

OR fix the problem at the core sortof

do void LateUpdate() instead of Update()

this will make the camera's movement update be after the players position updates :D

BRO

someone should've told me sooner you can make the playmode color change wayyy more noticable

From the top menu, go to Edit > Preferences (Windows) or Unity > Preferences (Mac)

In the left menu, choose Colors, then edit the "Playmode tint" color to have a slight color

Play your project to test it, then close your preferences

programming/unity essentials xp +5 each

---

Revision #2

Created 12 May 2023 04:30:56 by naruzkurai

Updated 20 May 2023 07:07:00 by naruzkurai